

A SUCCESSFUL DIAGNOSIS OF DIABETES IN HEALTHCARE BIG DATA CLOUDS USING 5G SMART DIABETES

¹Sunil Kumar Dasari, ²K Ganapathi Babu

^{1,2}Assistant Professor, Department of Computer Science and Engineering,
^{1,2}KITS Akshar Institute of Technology, NH 5, Yanamadala (V & P), Guntur District, 522019,
Andhra Pradesh.

*Corresponding Author

E-mail : sunil1dasari@gmail.com

ABSTRACT

Innovative diabetes monitoring systems and applications are being developed and put into use thanks to recent advancements in wearable computing, artificial intelligence, and wireless networking and big data technologies like 5G networks, medical big data analytics, and the Internet of Things. It is crucial to develop efficient techniques for the diagnosis and treatment of diabetes because of the chronic and systemic harm that diabetics experience. This paper categorizes those approaches into Diabetes 1.0 and Diabetes 2.0, which show shortcomings in terms of networking and intelligence, based on our thorough examination. Our objective is to create a diabetes diagnosis and treatment system that is intelligent, economical, and sustainable.

Keywords: diabetes, data clouds, artificial intelligence

1. INTRODUCTION

Diabetes is an essential steady ailment from which practically 8.5 percent of the complete masses suffer; 422 million people overall need to fight with diabetes. It is noteworthy to observe that type 2 diabetes mellitus makes up around 90 percent of the cases [1]. Even more in a general sense, the situation will be increasingly deplorable, as reported in [2], with progressively youngsters and youth getting the opportunity to be powerless to diabetes as well. Due to the way that diabetes hugely influences overall thriving and economy, it is squeezing to improve procedures for the expectation and treatment of diabetes [3]. In addition, various segments can cause the contamination, for instance, wrong and terrible lifestyle, exposed inclination status, close by the totaled stress from society and work. we at first propose a bleeding edge diabetes plan called the 5G-Smart Diabetes structure, which directions novel advancements including fifth time (5G) adaptable frameworks, AI, helpful tremendous data, individual to individual correspondence, splendid pieces of clothing [10], and so on. By then we present the data sharing part and altered data assessment model for 5G-Smart Diabetes. Finally, considering the clever articles of clothing, PDA, and huge data human administrations fogs, we develop a 5G-Smart Diabetes testbed and give the assessment results. Also, the "5G" in 5G-Smart Diabetes has a two-cover meaning. On one hand, it implies the 5G development that will be held onto as the correspondence system to recognize high bore and constant checking of the physiological states of patients with diabetes and to give treatment organizations to such patients without controlling their chance. On the other hand, "5G" implies the going with "5 goals": cost reasonability, pleasantness, personalization, supportability, and insight.

2. RELATED WORK

Identification of Type 2 Diabetes Risk Factors using Phenotypes Consisting of Anthropometry and Triglycerides based on Machine learning [6]

The hypertriglyceridemia midsection (HW) phenotype is unequivocally connected with type 2 diabetes; be that as it may, until now, no investigation has evaluated the prescient intensity of phenotypes dependent on individual anthropometric estimations and triglyceride (TG) levels. The points of the present examination were to survey the relationship between the HW phenotype and type 2 diabetes in Korean grown-ups and to assess the prescient intensity of different phenotypes comprising of mixes of individual anthropometric estimations and TG levels. Between November 2006 and August 2013, 11937 subjects took an interest in this review cross-sectional examination. We quantified fasting plasma glucose and TG levels and performed anthropometric estimations. We utilized parallel calculated relapse to look at measurably noteworthy contrasts between typical subjects and those

with type 2 diabetes utilizing HW and individual anthropometric estimations. For progressively dependable forecast results, two AI calculations, innocent Bayes (NB) and strategic relapse (LR), were utilized to assess the prescient intensity of different phenotypes. All expectation tests were performed utilizing a 10-overlay cross approval technique. Among the majority of the factors, the nearness of HW was most firmly connected with type 2 diabetes ($p < 0.001$, balanced chances proportion (OR) = 2.07 195% CI, 1.72-2.491 in men; $p < 0.001$, balanced OR = 2.09 11.79-2.451 in ladies). When contrasting midriff outline (WC) and TG levels as parts of the HW phenotype, the relationship among WC and type 2 diabetes was more prominent than the relationship among TG and type 2 diabetes. The phenotypes would in general have higher prescient power in ladies than in men. Among the phenotypes, the best indicators of type 2 diabetes were abdomen to-hip proportion + TG in men (AUC by NB = 0.653, AUC by LR = 0.661) and rib-to-hip proportion + TG in ladies (AUC by NB = 0.73, AUC by LR = 0.735). Despite the fact that the nearness of HW showed the most grounded relationship with type 2 diabetes, the prescient intensity of the joined estimations of the real WC and TG qualities may not be the best way of foreseeing type 2 diabetes. Our discoveries may give clinical data concerning the advancement of clinical choice emotionally supportive networks for the underlying screening of type 2 diabetes.

Big Data-Driven Service Composition Using Parallel Clustered Particle Swarm Optimization in Mobile Environment [7]

The expansion of portable registering, and advanced cell advances with their detecting administration have brought about an expanding number of administrations from a horde of specialist co-ops. These versatile specialist organizations bolster various scopes of developing administrations with different quality measurements however comparative usefulness. To encourage a robotized administration work process, it is required to choose and join a few administrations from the administrations pool in the quickest manner. Portable condition is encompassing and dynamic in nature that requires progressively productive procedures to convey the necessary assistance arrangement immediately to the clients. It is a test to choose the ideal required administrations in least time from the various arrangements of administrations with dynamic characteristics. This test is tended to in this work as a streamlining issue. A calculation is created by joining molecule swarm enhancement and k-implies bunching. It keeps running in parallel utilizing MapReduce in Hadoop stage. By using parallel preparing, the ideal assistance structure is acquired in fundamentally less time, which is basic for taking care of enormous measure of heterogeneous information and administrations from different sources in portable condition. The reasonableness of this proposed methodology for bigdata driven help organization is approved through displaying and reproduction.

Portable enormous information is ending up continuously predominant, as the quantity of cell phones and their worth included administrations are becoming extremely quick. The portable specialist co-ops furnish colossal number of administrations with dynamic characteristics in the administrations pool, which must be prepared exceptionally quick. These administrations for creation are frequently cloud based and huge information driven. It is seen that through utilizing enormous information driven parallel programming model, the general calculation time for administrations creation process, can be decreased fundamentally up to an adequate level. To this end, this paper displays a major information driven methodology (alluded as PCPSO) to deal with the administration arrangement process in portable condition. PCPSO calculation is a mix of PSO and k-implies grouping with MapReduce parallel preparing. As far as we could possibly know, for administration piece in portable condition, using the joined capability of swarm insight, k-implies bunching and MapReduce, is one of the new and effective systems. It is shown that PCPSO is appropriate to get the ideal structure in altogether decreased time and suit the dynamicity, QoS, and quickly changing attributes of administrations in a versatile domain. We have displayed the exhibitions of PCPSO calculation, and contrasted it and the kPSO calculation in different measurements: wellness versus calculation time, calculation time versus number of emphases, calculation time versus number of administrations and calculation time versus number of parallel machines. It is seen that PCPSO beats the nonparallel kPSO as far as calculation time. This correlation infers the need of use of parallelization, i.e., usage of enormous information devices to finish the administration structure process in a satisfactory time period.

3. FRAMEWORK

Contrasted with the inherent emergency clinic situated highlights of Diabetes 1.0 and Diabetes 2.0, 5G-Smart Diabetes acknowledges successful aversion and post- hospitalization treatment of diabetes. Physiological observing is never again constrained to blood glucose location however incorporates other basic physiological markers. Viable measures are taken to screen the reality and exercise of a client. Exhaustive states of the client are checked in a long haul and economical style. The framework engineering of 5G-Smart Diabetes is appeared in Fig. 1, which incorporates three layers: the detecting layer, customized finding layer, and information sharing layer.




Fig.1: System Model

A testbed has been intended to confirm the plausibility of the 5G-Smart Diabetes framework. In our testbed, we utilize a blood glucose gadget to gather individual locally situated blood glucose. The client's wellbeing related information is gathered by a wearable 2.0 gadget (i.e., brilliant apparel). The insights of client diet information and the surge of action information when the client is doing exercise inside or outside can likewise be gathered utilizing the client's cell phone on the off chance that the person needs it to be. We additionally structure a shrewd application to participate with a wide range of detecting gadgets so as to give helpful administrations to patients. Moreover, we build up a cloud stage utilizing our server farm in the EPIC lab. All the gathered information offload to the cloud stage through the interface of the brilliant application. Also, the consequences of the examination and medications are nourished back to the application.

Table.1: Comparison Table

Solution	Cost	Comfortability	Network support	Personalization	Manageability	Versatility	Treatment pattern
Diabetes 1.0	High	Low	NA	Low	Low	Low	Hospitalization, manual measurement, manual injection
Diabetes 2.0	Medium	Medium	Social network	High	Low	Low	Automatic and smart blood glucose sensing devices, contrasting analysis of drug effects, beta cell restoration, beta cell preservation
5G-Smart Diabetes	Low	High	5G networks, social networks, big data networks	High	High	High	User-oriented data fusion, treatment intelligence via data analytics

Table 1 shows an examination of the focal points and hindrances of Diabetes 1.0, Diabetes 2.0, and 5G-Smart Diabetes. Seven highlights are looked at, including cost, comfort, organize support, personalization, manageability, versatility, and treatment design. From Table 1, we can see that 5G- Smart Diabetes is superior to Diabetes 2.0 in the accompanying four viewpoints: □ 5G-Smart Diabetes receives long range informal communication administrations to acknowledge treatment supervision of the patient by family members and companions.

□ Since the blood glucose record is related with physiological lists, 5G- Smart Diabetes uses physiological information, nourishment utilization information, and exercise information to build the proficiency and execution of the conclusion and treatment of diabetes.

4. EXPERIMENTAL RESULTS

In this paper author is describing concept to diagnosis diabetes using available cheap technologies such 5G network where smart phone can communicate with cloud server to store or retrieve data, wearable devices which can sense human body blood sugar level and sent to smart phone via Bluetooth and then smart phone will send to hospital cloud server for further analysis. Diabetes diagnosis defines in 2 levels: Diabetes 1.0: Where patient has to go to hospital for checkup, if diabetes detected then he has to be admitted to hospital for continuous monitoring which can be very costly procedure.

Diabetes 2.0: Where patient no need to go to hospital and he just has to wear a sensor which can keep informing patient about current diabetes level and patient will take necessary action based on data given by sensor. Using this device patients are not required to go to hospital and can save hospital bill charges but this sensor cannot be afford by all peoples as its basic price is \$10000.

To overcome from such issue author is describing 5G-Smart Diabetes concept. Here 5G refers to five advantages provided by this paper

1. Cost effectiveness
2. Comfortability
3. Personalization
4. Sustainability
5. Smartness

To implement above concepts I design a dummy cloud which continuously receive data from users. We don't have any devices so I design a simulation application which generate random blood sugar for each user and report to cloud and then cloud will predict whether user is having diabetes or not by running data mining algorithm.



Fig.2: Cloud Server Screen




Fig.3: Simulation screen




Fig.4: Registered Users screen




Fig.5: Suggestions Screen




Fig.6: Graph Screen

5. CONCLUSION

In this article, we at first propose a 5G- Smart Diabetes structure that joins a distinguishing layer, an altered end layer, and a data sharing layer. Appeared differently in relation to Diabetes 1.0 and Diabetes 2.0, this system can achieve supportable, viable, and understanding diabetes assurance. By then we

propose a very financially savvy data sharing framework in social space and data space. Besides, using AI procedures, we present a tweaked data examination model for 5G-Smart Diabetes. Finally, considering the shrewd dress, wireless and server ranch, we gather a 5G-Smart Diabetes testbed. The preliminary outcomes exhibit that our structure can give tweaked finding and treatment proposals to patients.

REFERENCES

- [1] S. Mendis, "Global Status Report on Noncommunicable Diseases 2014," WHO, tech. rep.; <http://www.who.int/nmh/publications/ncd-status-report-2014/en/>, accessed Jan. 2015.
- [2] F. Florencia et al., IDF Diabetes Atlas, 6th ed., Int'l. Diabetes Federation, tech. rep.; <http://www.diabetesatlas.org/>, accessed Jan. 2016.
- [3] M. Chen et al., "Disease Prediction by Machine Learning over Big Healthcare Data," IEEE Access, vol. 5, June 2017, pp. 8869--79.
- [4] O. Geman, I. Chiuchisan, and R. Todorean, "Application of Adaptive Neuro-Fuzzy Inference System for Diabetes Classification and prediction}," Proc. 6th IEEE Int'l. Conf. E- Health and Bioengineering, Sinaia, Romania, July 2017, pp. 639--642.
- [5] S. Fong, et al. "Real-Time Decision Rules for Diabetes Therapy Management by Data Stream Mining," IT Professional, vol. 26, no. 99, June 2017, pp. 1--8.